

SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Mannington Rubber Floor Tile / Stair Treads / Risers / Wall Base

Chemical Name: Rubber Floor Tile / Stair Treads / Risers / Wall Base

Product Use/Class: Floor Covering

Company Information: Mannington Mills, Inc.
P.O. Box 30 - Route 45
75 Mannington Mills Road
Salem, New Jersey 08079

Phone Numbers: General: (856) 935-3000
Product Emergency: (866) 359-5602
Spill Response: (800) 424-9300

Effective Date: March 2, 2009 **Supersedes Date:** N/A (New) **Reason for Revision:** N/A

SECTION 2 - COMPOSITION / INFORMATION ON INGREDIENTS

None per OSHA Standard 29 CFR 1910.1200 & SARA Title III, Section 313.

SECTION 3 - HAZARDS IDENTIFICATION**EMERGENCY OVERVIEW**

Form: Solid Flooring Tile

Color: Varies

Odor: Slight to moderate characteristic rubber odor that will dissipate after installation.

WARNING STATEMENTS

None

POTENTIAL HEALTH EFFECTS

Likely Routes of Exposure: N/A

Eye Contact: Possible irritation

Skin Contact: Possible mild irritation

Inhalation: Solid material; become familiar with inhalation precautions for adhesives.

Ingestion: Small amounts, if swallowed, are not expected to cause injury.

Chronic: No known chronic effects.

Other: This product is an article or building product and is considered to be non-toxic, presenting no known hazard to people, except as noted under thermal decomposition by-products.

Refer to Section 11 for toxicological information.

SECTION 4 - FIRST AID MEASURES

If in Eyes: Flush with cool water, like any non-hazardous solid.

If on Skin: If skin is irritated from handling product (transitory mechanical dermatitis), wash thoroughly with soap and water. Seek medical attention if condition persists.

If Inhaled: None expected. Remove to fresh air and seek medical assistance if adverse reaction to adhesive occurs.

If Swallowed: Seek medical assistance if a considerable amount is swallowed.

SECTION 5 - FIRE FIGHTING MEASURES

Flash Point: Not Available

Lower Explosive Limit (LEL) %: Not Available

Upper Explosive Limit (UEL) %: Not Available

Auto-Ignition Temperature: Not Available

OSHA Flammability Classification: Not Available

Hazardous Products of Combustion: Protect self from melted product and combustion products.

Extinguishing Media: Use foam, CO₂, water spray or dry chemical extinguishing agent, and as appropriate for surrounding fire.

Unusual Fire and Explosion Hazards: None.

Fire Fighting Equipment: Self-contained breathing apparatus and full protective clothing.

Miscellaneous Advice: ASTM E-648 CRF value greater than 0.45 W/Square cm.

Refer to Section 10 for additional information.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions: None. This is a non-hazardous product.

Methods for Clean-up: Due to solid, inert properties, scrap pieces may simply be swept up and disposed of as a solid, non-hazardous waste per local, state and federal regulations.

Refer to Section 13 for disposal information.

Refer to Sections 14 and 15 for reportable quantity information.

SECTION 7 - HANDLING AND STORAGE

Handling: Install with adequate ventilation. Wash thoroughly after handling and before eating, drinking and storage.

Storage: Consult the Mannington Professional Installation Handbook for additional information on handling and storage.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Install in well-ventilated areas.

Respiratory Protection: Not normally required, unless adhesives or other installation chemicals so warrant.

Eye Protection: Not normally required, unless adhesives or other installation chemicals so warrant.

Hand and Skin Protection: Use of gloves is recommended, since handling large quantities of rubber tile and rubber sundry products may cause mechanical irritation around tips of fingers.

Other Protective Equipment: Not normally required, unless adhesives or other installation chemicals so warrant.

Hygienic Practices: Wash hands before eating, smoking or using toilet facilities. Do not smoke in any chemical handling or storage area. Food or beverages should not be consumed anywhere this product is handled or stored. Wash thoroughly after handling.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Solid, flooring tiles

Water Solubility: Negligible

Physical State: Solid, flooring tiles

Specific Gravity: Nominal 1.4 - 1.6 (*Water = 1.0*)

Odor: Slight to moderate characteristic rubber odor.

SECTION 10 - STABILITY AND REACTIVITY

Conditions to Avoid: Stable

Materials to Avoid: Stable

Stability: Stable

Hazardous Reactions: Will not occur.

Hazardous Polymerization: Will not occur.

Hazardous Decomposition Products: Thermal decomposition in the presence of air may yield carbon dioxide and carbon monoxide.

SECTION 11 - TOXICOLOGICAL INFORMATION

Product LD50 (Oral): N/A

Product LD50 (Dermal): N/A

Product LC50: N/A

Immediate (Acute) Effects: None known.

Delayed (Subchronic & Chronic) Effects: None known.

SECTION 12 - ECOLOGICAL INFORMATION

No ecological impact study information is available on this product.

SECTION 13 - DISPOSAL CONSIDERATIONS

US EPA RCRA Status: N.A.
Disposal Considerations: N.A.
Disposal Method: N.A.
Miscellaneous: Material is inert and disposed of in accordance with local, state and federal guidelines.

SECTION 14 - TRANSPORT INFORMATION

The information provided in this section is for information only. Please apply the appropriate regulations to properly classify your shipment for transport.

DOT Proper Shipping Name: Not regulated.
DOT Hazard Class: Not regulated.
DOT UN/NA Number:
Packing Group:
Emergency Spill Response Guide Number: (800) 424-9300
Other - Product Emergency: (866) 359-5602

SECTION 15 - REGULATORY INFORMATION

U.S. Federal Regulations: N/A
SARA Section 311, 312: N/A
SARA Section 313: N/A
Toxic Substances Control Act: N/A
Inventory Status: N/A
Export Notification: N/A
Other: N/A

SECTION 16 - OTHER INFORMATION

This material is a finished floor covering product. Mannington provides a Product Safety Data Sheet for all finished floor covering products.

Product Safety Data Sheets (PSDS) are provided for finished floor covering products based on the "article exemption" found in 29 CFR 1910.1200 (b) (6) (v). An article is defined as:

"a manufactured item other than a fluid or particle: (i) which is formed to a specific shape or design during manufacture; (ii) which has an end use function(s) dependent in whole or in part upon its shape or design during end use; and (iii) which under normal conditions of use, does not release more than very small quantities, e.g. minute or trace amounts of a hazardous chemical and does not pose a physical hazard or health risk to employees."

Per OSHA's Chemical Hazard Communication Standard (29 CFR 1910.1200), Mannington provides Material Safety Data Sheets (MSDS) for all of our sundry products (adhesives, strippers, cleaners, etc.). You can obtain sundry MSDS through your distributor by calling 1-800-FLOOR-US.

There is a wide variety of recommended work practices, installation techniques and safe handling guidelines in Mannington's Professional Installation Handbook. Handbooks are also available through your distributor or by calling 1-800-FLOOR-US.

Because most floor installations require adhesives, it is recommended that the user review the manufacturer's recommendations for adhesive spread rate, open time, proper ventilation, safe installation practices, etc. during installation.

Disclaimer:

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date of hereof, the company makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will the company be responsible for damages of any nature whatsoever resulting from the use of or reliance upon Information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS.

Legend:

N.E. - Not Established	S - Skin
N.A. - Not Available	ppm - Parts per Million
N/A - Not Applicable	° F. - Degrees Fahrenheit
C - Ceiling (Exposure Levels)	° C. - Degrees Centigrade
PEL - Permissible Exposure Limits	STEL - Short-Term Exposure Limit
OEL - Occupational Exposure Limit	CIH - Certified Industrial Hygienist
TSCA - Toxic Substances Control Act	TWA - Time Weighted Average
NFPA - National Fire Protection Association	
TLV - Exposure Limits Developed by ACCIH	
MSHA - Mine Safety and Health Administration	
NIOSH - National Institute for Occupational Safety	
OSHA - Occupational Safety and Health Administration	
HAZCOM - Hazard Communication Standard (29CFR1910.1200)	
ACGIH - American Conference of Government Industrial Hygienists	
CERCLA - Comprehensive Environmental Response, Comprehensive and Liability Act	